

AUTHORISED DISTRIBUTORS



11



ADDRESS : Shop No. 6, Plot No. BG-74A, Jay Tulja Bhavani Complex Telco Road,
MIDC, Bhosari, Pune - 411 026, Maharashtra.
PHONE : 020 - 27110960 \ 020 - 27110930
EMAIL : sales@realswitchgears.com \ acreliance@gmail.com

'POLYCAB' PVC insulated unsheathed bright annealed bare copper conductor single core industrial cable & PVC insulated, PVC round sheathed multicore industrial cables for voltage grade upto 1100V as per IS694:1990 (RATE PER METER)

COND. AREA SQ. MM.	COND.CONST. (NO./DIA.MM.)	AMP	1 CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE			
0.50	16/0.20	05	13.30	34.65	47.50	60.75	76.30	91.40	102.50	123.00	152.00	177.00	204.00	232.00	270.00	340.00			
0.75	24/0.20	08	18.65	46.30	64.35	82.70	108.25	129.75	147.00	173.00	214.00	252.00	293.00	333.00	391.00	488.00			
1.00	32/0.20	13	23.75	58.90	81.85	105.80	140.00	167.00	187.00	221.00	273.00	323.00	378.00	430.00	504.00	634.00			
1.50	30/0.25	17	34.30	80.10	113.80	149.00	190.00	231.00	263.00	302.00	383.00	452.00	535.00	618.00	715.00	914.00			
2.50	50/0.25	24	56.35	130.00	182.00	241.00	312.00	372.00	426.00	509.00	628.00	756.00	872.00	997.00	1157.00	1496.00			
4.00	56/0.30	30	86.60	194.00	280.00	368.00	491.00	589.00	706.00	-----	-----	-----	-----	-----	-----	-----			
6.00	84/0.30	38	129.25	286.00	412.00	542.00	723.00	868.00	-----	-----	-----	-----	-----	-----	-----	-----			
10.00	80/0.40	52	227.00	488.00	711.00	940.00	1247.00	POLYCAB INDUSTRIAL FLEXIBLE (FRLS) INSULATED CABLE											
16.00	126/0.4	70	354.00	764.00	1117.00	1475.00	1913.00	SIZE SQMM	SINGLE CORE	Size sqmm	SINGLE CORE	Size sqmm	Cond No. /dia mm)	Amp	2 CORE	3 CORE	4 CORE	5 CORE	
25.00	196/0.4	88	557.00	1273.00	1853.00	2421.00	3478.00	0.50	13.65	95	2095.00	0.50	16/.2	5	36.85	49.65	62.95	78.00	
35.00	276/0.4	110	779.00	1773.00	2575.00	3384.00	4765.00	0.75	19.15	120	2695.00	0.75	24/.2	8	49.10	66.95	85.35	110.25	
50.00	396/0.4	145	1112.00	2517.00	3668.00	4844.00	6896.00	1.00	24.10	150	3378.00	1.00	32/.2	13	61.55	84.80	108.75	142.00	
70.00	354/0.5	215	1571.00	3576.00	5088.00	6726.00	9429.00	1.50	34.55	185	4199.00	1.50	30/.25	17	83.40	117.25	151.50	194.00	
95.00	484/0.5	260	2073.00	-----	7354.00	9702.00	-----	2.50	57.25	240	5484.00	2.50	50/.25	24	135.00	186.00	246.00	316.00	
120.00	608/0.5	305	2672.00	-----	9338.00	12325.00	-----	4.00	87.20	300	6864.00	4.00	56/.3	30	200.00	286.00	374.00	500.00	
150.00	750/0.5	355	3344.00	-----	11673.00	15408.00	-----	6.00	131.00	400	9145.00	6.00	84/.3	38	293.00	419.00	548.00	737.00	
185.00	925/0.5	415	4161.00	-----	14375.00	19001.00	-----	10.00	232.00			10.00	80/.4	52	497.00	722.00	954.00	1271.00	
240.00	1210/0.5	500	5431.00	-----	18557.00	24564.00	-----	16.00	360.00			16.00	126/.4	70	784.00	1143.00	1503.00	1952.00	
300.00	1527/0.5	585	6795.00	-----	23156.00	30664.00	-----	25.00	564.00			25.00	196/.4	88	1300.00	1890.00	2471.00	3545.00	
400.00	2036/0.5	695	9054.00	-----	30854.00	40617.00	-----	35.00	788.00			35.00	276/.4	110	1810.00	2626.00	3456.00	4858.00	
								50.00	1122.00			50.00	396/.4	145	2569.00	3741.00	4938.00	7033.00	
								70.00	1588.00			70.00	354/.5	215	3647.00	5188.00	6861.00	9617.00	

AUTHORISED DISTRIBUTORS



11


REAL
 SWITCHGEARS & CABLES PVT. LTD.

ADDRESS : Shop No. 6, Plot No. BG-74A, Jay Tulja Bhavani Complex Telco Road,

MIDC, Bhosari, Pune - 411 026, Maharashtra.

PHONE : 020 - 27110960 \ 020 - 27110930

EMAIL : sales@realswitchgears.com \ acreliance@gmail.com

POLYCAB TELEPHONE & SWITCHBOARD CABLES				"POLYCAB" CO-AXIAL CABLES			POLYCAB INDUSTRIAL BRAIDED-UNARMoured SCREEN CABLES								
NO.OF PAIRS	UN-ARMoured (0.50MM)	UN-ARMoured (0.40MM)	ARMoured (0.50MM)				ITEM	RATE OF COIL OF			CORES	16/.20MM 0.5sqmm	24/.20MM 0.75sqmm	32/.20MM 1.0sqmm	48/.20MM 1.5sqmm
RATE PER METER				100 Mtrs. Unar-moured	305 Mtrs. Unar-moured	PER Mtr. Armoured		2	106.25	130.75		147.25	178.50	270.00	370.00
1	10.75	7.65	-----	RG-59	2300	7030	-----	3	122.75	159.00	199.00	247.00	361.00	568.00	795.00
2	19.00	13.40	121.00					4	153.00	199.00	243.00	302.00	455.00	694.00	967.00
3	28.15	19.75	-----					5	194.00	239.00	274.00	367.00	612.00	-----	-----
4	37.15	25.25	-----	RG-6	2890	8860	95.40	6	206.00	270.00	317.00	430.00	686.00	4Cx10	1619.00
5	46.05	31.00	139.00	RG-11	6590	20185	148.84	7	221.00	311.00	361.00	476.00	776.00	4Cx16	2613.00
10	89.55	-----	264.00					8	257.00	370.00	410.00	549.00	810.00	4Cx25	4134.00
20	173.35	-----	419.00					10	327.00	408.00	546.00	688.00	906.00	-----	-----
50	449.50	-----	-----	RG-6 CCS	1870	5700	-----	12	370.00	461.00	585.00	776.00	1059.00	-----	-----
100	879.75	-----	-----	14				408.00	546.00	686.00	929.00	1273.00	-----	-----	
				16				437.00	636.00	771.00	1026.00	1499.00			
				RG-11 CCS	3775	11505	-----	19	520.00	753.00	910.00	1273.00	1935.00		
								24	628.00	841.00	1142.00	1560.00	2426.00		

POLYCAB CCTV CABLES				INDUSTRIAL CABLE (MULTISTRAND)					POLYCAB JELLYFILLED TELEPHONE CABLES			SERVICE CABLES			POLYCAB 3CORE FLAT SUBMERSIBLE CABLES				
SIZE	RATE PER 90MTRS COIL	RATE PER 180MTRS COIL	RATE PER 300MTRS COIL	SQMM	AMP.	FR (90 Mtrs)	FR 300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	FRLSH 300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	NO.OF PAIRS	UN-ARMoured (0.50MM)	ARMoured (0.50MM)	NO. OF CORES	SQ. MM	Rate per mtr	Conductor Areasqmm	Conductor Construction (no/dia,mm)	RATE PER MTR		
3+1	3785	7570	12617														1.50	22/.3	95.30
4+1	4115	8230	13717	0.75	7	1405	5495	5665	5	119	174	2	2.5	76.05	2.50	36/.3	147.85		
ARMoured 129.78/- PER METER				1.00	12	1890	7210	7420	RATE PER METER			10	187	278	4.00	56/.3	221.15		
UNARMoured 3+1 = 42.06 PER METER				1.50	16	2770	10610	10925	20	315	405	2	4	101.50	6.00	84/0.3	324.30		
UNARMoured 4+1 = 45.72 PER METER				2.50	22	4375	17210	17735	50	693	872	2	6	134.75	10.00	80/0.4	563.55		
POLYCAB INDUSTRIAL SPEAKER WIRE OXYGEN FREE (Rate per 90 Meter)				4.00	29	6400	17695	18235	100	-----	1850	2	10	196.00	16.00	126/0.4	875.20		
SIZE	RATE	SIZE	RATE	6.00	37	9565	26460	27260	200	-----	3398	2	16	284.50	25.00	196/0.4	1368.25		
23/36	1910	23/38	1295	10.00	45	-----	46370	47725							35.00	276/0.4	1895.95		
40/36	2925	40/38	2150	16.00	68	-----	73515	75675				2	16	284.50	50.00	396/0.4	-----		
70/36	3970	70/38	2915	POLYCAB LAN (COMPUTER CABLES)													POLYCAB WELDING CABLES		
				SIZE		UTP UNARMoured Rate per 305 mtr		UTP ARMoured Rate per mtr		STP UNARMoured Rate per 305 mtr		STP ARM Rate per mtr		Conductor Area sqmm	Conductor Construction No.dia mm	RATE PER METER			
1 sq.mm				CAT-5E		11995		-----		-----		-----		16.00	120	437.00			
1.5 sq.mm				CAT-6		12970		111.15		19925		121.54		25.00	160	683.00			
2.5 sq.mm				CAT 6-A (GOLD)		-----		-----		-----		-----		35.00	230	944.00			
														50.00	400	1341.00			
														70.00	600	1895.00			
														95.00	700	2497.00			
														120.00	1110	3195.00			

AUTHORISED DISTRIBUTORS



2



ADDRESS : Shop No. 6, Plot No. BG-74A, Jay Tulja Bhavani Complex Telco Road,
MIDC, Bhosari, Pune - 411 026, Maharashtra.
PHONE : 020 - 27110960 \ 020 - 27110930
EMAIL : sales@realswitchgears.com \ acreliance@gmail.com

Str/SoilId PVC/XLPE Indulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	134	0.75	156	1	174	1.5	208	2.5	285
PAIR	2	0.5	196	0.75	235	1	271	1.5	337	2.5	483
PAIR	3	0.5	235	0.75	295	1	351	1.5	449	2.5	667
PAIR	4	0.5	281	0.75	358	1	432	1.5	564	2.5	847
PAIR	5	0.5	329	0.75	425	1	520	1.5	689	2.5	1048
PAIR	6	0.5	379	0.75	494	1	602	1.5	803	2.5	1222
PAIR	7	0.5	416	0.75	542	1	676	1.5	928	2.5	1393
PAIR	8	0.5	466	0.75	619	1	764	1.5	1029	2.5	1578
PAIR	10	0.5	558	0.75	735	1	922	1.5	1254	2.5	1925
PAIR	12	0.5	632	0.75	859	1	1085	1.5	1469	2.5	2294
PAIR	14	0.5	695	0.75	964	1	1217	1.5	1697	2.5	2613
PAIR	16	0.5	793	0.75	1061	1	1375	1.5	1895	2.5	2967
PAIR	19	0.5	902	0.75	1255	1	1602	1.5	2216	2.5	3478
PAIR	24	0.5	1127	0.75	1577	1	1994	1.5	2785	2.5	4371

Str/SoilId Cu PVC/XLPE Indulated Pair/Triad/Quad laid up together with Al Inner sheathed Mylar/Drain Wire PVC Inner Sheathed Unarmoured PVC Outer Sheathed Instrumentation Cable.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
TRIAD	1	0.5	163	0.75	196	1	221	1.5	274	2.5	379
TRIAD	2	0.5	271	0.75	336	1	372	1.5	481	2.5	695
TRIAD	3	0.5	336	0.75	423	1	483	1.5	633	2.5	937
TRIAD	4	0.5	404	0.75	519	1	604	1.5	796	2.5	1182
TRIAD	5	0.5	467	0.75	621	1	723	1.5	975	2.5	1451
TRIAD	6	0.5	539	0.75	718	1	848	1.5	1126	2.5	1705
TRIAD	7	0.5	596	0.75	796	1	946	1.5	1269	2.5	1943
TRIAD	8	0.5	671	0.75	874	1	1059	1.5	1438	2.5	2216
TRIAD	10	0.5	795	0.75	1085	1	1288	1.5	1771	2.5	2732
TRIAD	12	0.5	905	0.75	1247	1	1509	1.5	2068	2.5	3233
TRIAD	14	0.5	1029	0.75	1424	1	1725	1.5	2377	2.5	3724
TRIAD	16	0.5	1140	0.75	1587	1	1939	1.5	2693	2.5	4222
TRIAD	19	0.5	1315	0.75	1845	1	2257	1.5	3146	2.5	4950
TRIAD	24	0.5	1629	0.75	2309	1	2821	1.5	3962	2.5	6229
QUAD	1	0.5	187	0.75	228	1	263	1.5	327	2.5	468

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

CORES	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	58.00	74.25	89.05	116.05	181.50
3	71.90	97.75	118.00	157.00	251.00
4	89.00	118.00	151.25	212.00	317.00
5	110.00	147.00	179.00	245.00	401.00
6	127.00	167.00	209.00	295.00	480.00
7	138.00	196.00	243.00	332.00	568.00
8	157.00	212.00	270.00	371.00	634.00

PRICE-LIST NO-11

DATE:- 25TH NOV 2024

CORES	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
10	186.00	262.00	332.00	459.00	775.00
12	220.00	307.00	392.00	544.00	951.00
14	256.00	359.00	453.00	626.00	-----
16	290.00	403.00	510.00	722.00	-----
19	332.00	480.00	603.00	840.00	-----
24	412.00	589.00	746.00	1073.00	-----
Packing 100/300 mtrs. Coils & 2000 mtrs. drums • Note: 3% extra charges for drum packing.					